

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1223	gesture same (icon\$6 or click\$4 or mouse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:50
L2	22	1 and ((hot adj key) or keystroke or (key adj stroke)) and shortcut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:54
L3	14	2 and context and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:59
L4	8	3 and query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:57
L5	49	1 and query same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:58
L6	14	5 and context with (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:00
L7	3	6 and shortcut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:00

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4857	context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:41
L2	2360	1 and user adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:03
L3	17	2 and ((hot adj key) or keystroke) and (shortcuts! or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:53
L4	1	2 and ((hot adj key) or keystroke) and ((stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:45
L5	8	((hot adj key) or keystroke) and ((stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:40
L6	65	((hot adj key) or keystroke) same ((stylus adj motion) or (graffiti adj shortcut) or shortcuts!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:41
L7	16	6 and context and query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:44
L8	13	7 and user adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L9	1	8 and context adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:43
L10	1	6 and context adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:53

L11	3	6 and context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:49
L12	4857	context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:45
L13	2360	2 and user adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:45
L14	2	13 and ((hot adj key) or keystroke) same ((stylus adj motion) or (graffiti adj shortcut) or shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L15	2	13 and ((hot adj key) or keystroke or (stylus adj motion)) same ((graffiti adj shortcut) or shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:02
L16	122	((hot adj key) or keystroke or (stylus adj motion)) same ((graffiti adj shortcut) or shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L17	72	16 and user adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L18	2	17 and context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:53
L19	15	17 and context and query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:50
L20	5	19 and SQL adj2 (statement or clause or command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:51

L21	4857	context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:53
L22	74	21 and context adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:54
L23	4	22 and ((hot adj key) or keystroke or shortcuts! or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:59
L24	124	21 and context adj2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:54
L25	7	24 and ((hot adj key) or keystroke or shortcuts! or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:54
L26	7	context same query same ((hot adj key) or keystroke or shortcuts! or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:59
L27	12	context same query same ((hot adj key) or keystroke or shortcut or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:59
L28	122	((hot adj key) or keystroke or (stylus adj motion)) same ((graffiti adj shortcut) or shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:02
L29	1	((hot adj key) or keystroke or (stylus adj motion)) same ((graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:02
L30	1	(graffiti adj shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:02

L31	6060	((hot adj key) or keystroke same (stylus adj motion) shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:03
L32	1513	((hot adj key) or keystroke same (stylus adj motion) same shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:03
L33	75	32 and (context or shortcut) same (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:09
L34	6	32 and (context and shortcut) same (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:04
L35	12	33 and (context or shortcut) near9 name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:10
L36	3	33 and (context and shortcut) near9 name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:11
L37	1	33 and (context and shortcut) near2 name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4857	context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:41
L2	2360	1 and user adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:45
L3	17	2 and ((hot adj key) or keystroke) and (shortcuts! or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:53
L4	1	2 and ((hot adj key) or keystroke) and ((stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:45
L5	8	((hot adj key) or keystroke) and ((stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:40
L6	65	((hot adj key) or keystroke) same ((stylus adj motion) or (graffiti adj shortcut) or shortcuts!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:41
L7	16	6 and context and query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:44
L8	13	7 and user adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L9	1	8 and context adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:43
L10	1	6 and context adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:53

L11	3	6 and context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:49
L12	4857	context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:45
L13	2360	2 and user adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:45
L14	2	13 and ((hot adj key) or keystroke) same ((stylus adj motion) or (graffiti adj shortcut) or shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L15	2	13 and ((hot adj key) or keystroke or (stylus adj motion)) same ((graffiti adj shortcut) or shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L16	122	((hot adj key) or keystroke or (stylus adj motion)) same ((graffiti adj shortcut) or shortcut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L17	72	16 and user adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
L18	2	17 and context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:53
L19	15	17 and context and query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:50
L20	5	19 and SQL adj2 (statement or clause or command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:51

L21	4857	context same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:53
L22	74	21 and context adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:54
L23	4	22 and ((hot adj key) or keystroke or shortcuts! or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:59
L24	124	21 and context adj2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:54
L25	7	24 and ((hot adj key) or keystroke or shortcuts! or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:54
L26	7	context same query same ((hot adj key) or keystroke or shortcuts! or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:59
L27	12	context same query same ((hot adj key) or keystroke or shortcut or (stylus adj motion) or (graffiti adj shortcut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:59